

DC-WRP

ANGLED FRONT GLASS REFRIGERATED DISPLAY CASE

DESCRIPTION OF STANDARD UNIT:

- Construction of powder coated steel
- LED Lighting.
- Wooden casing
- Side and front glasses double with black serigraphy
- Finishes: golden, silver or black
- 3 rows of highlighted adjustable, glass shelves
- Yellow lighting
- Sliding, double glass rear doors
- Forced cooling
- Temp. range: 0 ÷ +4 °C
- Automatic water Evaporation
- Hygrostat (humidity reduction)
- Front opening glass
- Condenser maintenance-free
- Front glass secured by string cable
- Digital temperature control




OPTIONS:

- Version for chocolate & pralines
- For external condensing unit.
- Wheels.
- Ultrasonic humidifier.
- Stainless steel worktop
- Thermometer in the lamp
- Multiplexing

* - Values are provided for an ambient temp of +25°C and relative humidity of 60%.
 ** - Cooling power demand: 1000 W/1mr at evaporating temp. -10°C.

SPECIFICATIONS

MODEL	LENGTH	DEPTH	HEIGHT	WEIGHT (LBS / KG)	ELECTRICAL
DC3-WRP	37 ¾"	38"	55 ⅞"	441 / 200	115V / 60Hz / 1ph / 8 AMP
DC4-WRP	53 ¾"	38"	55 ⅞"	551 / 250	115V / 60Hz / 1ph / 11 AMP



Profile Colors



RAL 9005
Jet Black

Available Colors

